

TECHNICAL DATA SHEET

FASCIA: White & Colour

- Freefoam manufacture a range of PVC-UE fascias designed for over-boarding of existing fascia/bargeboard, full replacement of existing fascia/bargeboard or for new build work.
- The fascia range is available with a choice of board thickness and width and all boards are manufactured in 5 metre lengths.
- Different profiles are available including Plain Fascia, Square-Edged Fascia, Bullnose Fascia, Roundnose Fascia and Ogee Fascia.
- Freefoam fascia is also available in a wide range of colours.
- The two-part co-extrusion process yields boards made of a cellular foam core (PVC-UE) with a top coating of rigid PVC to give its smooth, protective and hardwearing skin.

Width	100mm - 405mm	Thickness	8mm - 25mm	Weight	0.5 to 4.98 Kg/m
--------------	---------------	------------------	------------	---------------	------------------

Standard	Characteristic	Result
EN 13245	Mechanical Resistance	(0,5)
EN 13501-1	Reaction to Fire	D-s3, d2/AHM
EN ISO 178	Flexure Strength	≥ 15 MPa
EN ISO 178	Flexure Modulus	≥ 500 MPa
EN479	Heat Reversion	100°C, <3%
EN478	Heat Ageing	150°C/30 minutes (no bubbling, cracks, delamination)

Product Certification

- British Board of Agrément (BBA)
Visit www.bbacerts.co.uk for details of BBA Agrément 99/3585
- Centre Scientifique et Technique du Bâtiment (CSTB)
Visit www.cstb.fr for details of Avis Technique 2/16-1766



The Freefoam manufacturing site is audited annually by both BBA and CSTB

Quality System

The Quality System is certified to ISO9001:2015 by SGS.
The manufacturing site is audited by SGS each year.

